

**BELTRAME STOCK AVAILABILITY PART. LENGTH./QUAL. + ROLLING PROGRAMME**

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
<b>FLAT</b>								
30	5		6	S355J2				(X)
30	12		6	S355J2				(X)
40	5		6	S355J2				(X)
40	8		6	S355J0/JR				(X)
40	8		6	S355J2				(X)
40	10		6	S355J2	S40			S40
40	12		6	S355J2				(X)
40	15		6	S355J2				S40
40	20		6	S355J2				S40
50	6		6	S355J2	(X)			(X)
50	8		6	S355J2	(X)			(X)
50	10		6	S355J2	(X)			(X) S40
50	10		12	S355J2				(X)
50	15		6	S355J2	(X)			S40
50	20		6	S355J2				S40
50	25		6	S355J2				S43
50	30		6	S355J2	(X)			
50	30		12	S355J2	X			
50	40		6	S355J2		(X)		
60	5		6	S355J2	(X)			S43
60	6		6	S355J2				S43
60	8		6	S355J2				(X) S43
60	10		6	S355J2	(X)			S43
60	12		6	S355J2				S43
60	12		6,01	S355J2	(X)			
60	15		6	S355J2	(X)			S43
60	20		6	S355J2	(X)			
60	20		6,25	S355J2	(X)			
60	40		6	S355J2	(X)			
70	10		6	S355J2				S43
70	15		6	S355J2				(X) S43
70	20		6	S355J2	(X)			
80	6		6	S355J2				(X) S43
80	8		6	S355J2				S43
80	10		6	S355J2	(X)			S43
80	12		6	S355J2				S43
80	15		6	S355J0/JR	X			
80	15		6	S355J2				S43
80	20		6	S355J2	(X)			S43
80	20		6,01	S355J2	(X)			
80	25		6	S355J2	X			
80	25		7,2	S355J2				(X)
80	30		6	S355J2	X	(X)		
80	40		6	S355J2		(X)		
90	10		6	S355J2	(X)			
90	15		6	S355J2	(X)			
100	8		6	S355J2				S41
100	10		6	S355J2	X			S41
100	10		12	S355J2	(X)			
100	12		6	S355J2				(X)
100	15		6	S355J2	(X)			(X) S41
100	20		6	S355J2	(X)			S41
100	20		12	S355J2	(X)			
100	30		6	S355J2				S41
120	8		6	S355J2	(X)	(X)		
120	8		7,8	S355J2				(X)
120	10		6	S355J2	X			
120	10		12	S355J2	(X)			(X)
120	12		6	S355J2	(X)			
120	12		7	S355J2				(X)
120	12		12	S355J2	(X)			
120	15		6	S355J2	(X)			S46
120	15		12	S355J2	(X)			
120	20		6	S355J2	(X)			
120	20		7,65	S355J2				(X)
120	20		12	S355J2	(X)			
120	30		6	S355J2				(X)
130	8		6	S355J2				(X)
140	10		6	S355J2	X			S39
140	12		6	S355J2	S41			
140	12		7,5	S355J2				(X)
140	15		6	S355J2	(X)			
150	8		6	S355J2				(X)

						ITALY				FRANCE
						Vicenza	Torino	SGVald.	Trith	
<b>ANGLE</b>										
35	35	4,0	12	S355J2	(X)					
40	40	4,0	6	S355J2						S44
40	40	4,0	12	S355J2	(X) S43					
40	40	5,0	6	S355J2					(X)	S44
50	50	4,0	12	S355J2	(X)					
50	50	5,0	6	S355J2					(X)	
50	50	5,0	12	S355J2	X				(X)	
50	50	6,0	12	S355J2	(X)					
50	50	8,0	6	S355J2					(X)	
60	60	5,0	12	S355J2		S41				
60	60	6,0	6	S355J2						S42
60	60	6,0	12	S355J2		S41			(X)	S42
60	60	8,0	12	S355J2	S41					
70	70	6,0	12	S355J2	X					
70	70	7,0	12	S355J2	(X)					S43
70	70	7,0	13	S355J2	(X)					
75	75	7,0	12	S355J2						S47
75	75	8,0	6	S355J2						S47
80	80	6,0	12	S355J2	X				(X)	
80	80	8,0	12	S355J2	X					
80	80	8,0	12,5	S355J2	(X)					
80	80	10,0	12	S355J2	X					
90	90	6,0	12	S355J2	X					
90	90	8,0	12	S355J2	(X)					
90	90	9,0	6	S355J2	(X)					
90	90	9,0	12	S355J2	(X)					X
90	90	9,0	13,5	S355J2	(X)					
100	100	6,0	12	S355J2	(X)					
100	100	7,0	12	S355J2	(X)					
100	100	8,0	6	S355J2	(X)					
100	100	8,0	12	S355J2	(X)					
100	100	10,0	6	S355J2					(X)	
100	100	10,0	7,5	S355J2	(X)					
100	100	10,0	12	S355J2	X					S47
100	100	10,0	13	S355J2	(X)					
100	100	12,0	12	S355J2	(X)				(X)	
110	110	8,0	12	S355J2	(X)					
110	110	10,0	12	S355J2	X					
120	120	8,0	12	S355J2	X					
120	120	8,0	13,2	S355J2	(X)					
120	120	10,0	12	S355J2	X					S40
120	120	10,0	13	S355J2	(X)					
120	120	11,0	6	S355J2	(X)					
120	120	11,0	12	S355J2	(X)					
120	120	12,0	6	S355J2	(X)					
120	120	12,0	12	S355J2	X					S40
120	120	13,0	12	S355J2	(X)					
120	120	15,0	12	S355J2	X					S40
120	120	15,0	12,5	S355J2	(X)					
150	150	10,0	12	S355J2	X					
150	150	12,0	6	S355J2	(X)					
150	150	12,0	12	S355J2	X					
150	150	15,0	6	S355J2	(X)					
150	150	15,0	12	S355J2	X					

**ATTENTION**

On request

X = Disponibility, (X) = Low Disponibility, S = Rolling week, # = Under check quality

**BELTRAME STOCK AVAILABILITY PART. LENGTH./QUAL. + ROLLING PROGRAMME**

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
<b>FLAT</b>								
150	8		6,8	S355J2				(X)
150	10		6	S355J2	(X) S41			S39
150	12		6	S355J2				(X)
150	12		10,3	S355J0/JR	(X)			
150	15		6	S355J2	S41			(X) S39
150	20		6	S355J2	S41			S39
150	20		12	S355J2	S41			
160	10		6	S355J2				S39
160	15		6	S355J2				S39
180	8		11,25	S355J2				(X)
180	10		6	S355J2				(X)
180	12		6	S355J2				(X)
180	15		6	S355J2	S39			
200	8		6	S355J2				(X)
200	10		6	S355J2	S39			(X)
200	10		12	S355J2	(X)			(X)
200	12		6	S355J2				(X)
200	15		6	S355J2	S39			(X)
200	15		6,2	S355J2				(X)
200	15		7,7	S355J2				(X)
200	20		6	S355J2	S39			(X)
200	20		7,2	S355J2				(X)
200	20		8	S355J2				(X)
200	25		6	S355J2				(X)
200	25		8,1	S355J2				(X)
200	30		5,4	S355J2				(X)
200	30		5,5	S355J2				(X)
200	30		6	S355J2				(X)
200	30		8,1	S355J2				(X)
220	10		6	S355J2	(X)			
220	20		6	S355J2	S45			
250	10		6	S355J2	(X)			
250	12		12	S355J2	(X)			
250	15		6	S355J2	S45			
250	20		6	S355J2	S45			

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
<b>UN. ANGLE</b>								
80	40	6,0	12	S355J2	(X)			
80	40	8,0	12	S355J2				S41
80	65	6,0	12	S355J2	(X) S46			
80	65	8,0	12	S355J2	(X)			
100	50	6,0	12	S355J2	(X)			X
100	50	8,0	12	S355J2	(X)			(X)
100	50	10,0	12	S355J2	(X)			
100	65	7,0	12	S355J2		S42		
100	65	9,0	12	S355J2		S42		
100	75	7,0	12	S355J2		S42		
100	75	8,0	12	S355J2		S42		
100	75	9,0	12	S355J2		S42		
120	60	10,0	12	S355J2	(X)			
120	80	8,0	12	S355J2	X			(X)
120	80	12,0	12	S355J2	(X)			(X)
130	65	8,0	12	S355J2	X			
130	65	10,0	12	S355J2	X			
150	75	9,0	12	S355J2	X			
150	75	11,0	12	S355J2	(X)			
150	100	10,0	6	S355J2				(X)
150	100	10,0	12	S355J2		S43		
150	100	12,0	12	S355J2	X S43			(X)
160	80	10,0	12	S355J2	X			

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
<b>TEE PROFILE</b>								
30	30	4,0	6	S355J2				X
60	60	7,0	6,1	S355J2				(X)
60	60	7,0	12	S355J2		(X)		
70	70	8,0	12	S355J2	(X)	(X)		

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
<b>ROUND</b>								
12	0		6	S355J2		(X)		S41
14	0		6	S355J2	(X)			(X)
16	0		6	S355J2				S46
16	0		7,8	S355J2				(X)
18	0		6	S355J2	(#) S39			
20	0		6	S355J2	#			(X)
20	0		10,5	S355J2	(X)			
25	0		6	S355J2	X			(X)
30	0		6	S355J2	X			(X)

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
<b>U CHANNEL</b>								
50	25	5,0	12	S355J2				(X)
60	30	6,0	6	S355J2	(X)			
60	30	6,0	12	S355J2	X			

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
<b>SQUARE</b>								
12	0		6	S355J2				S41
14	0		6	S355J2	(X) S42			(X)
16	0		6	S355J2				S46
18	0		6	S355J2	(X)			
20	0		6	S355J2		S42		(X)
22	0		6	S355J2				(X)
25	0		6	S355J2		S42		(X)
30	0		6	S355J2	(X) S42			(X)
40	0		6	S355J2		S42		
50	0		6	S355J2	(X)	S42		

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
<b>UPN</b>								
80	45	6,0	12,1	S355J2	X			
80	45	6,0	14,1	S355J2	(X)			
80	45	6,0	15,1	S355J2	X			
100	50	6,0	12,1	S355J2	X S43			
100	50	6,0	13,1	S355J2	(X)			
100	50	6,0	14,1	S355J2	(X)			
120	55	7,0	12,1	S355J2	S41			(X)
140	60	7,0	12,1	S355J2	S42			
140	60	7,0	14,1	S355J2	S42			
140	60	7,0	15,1	S355J2	S42			
160	65	7,5	12,1	S355J2	X			

**ATTENTION**

On request

X = Disponibility, (X) = Low Disponibility, S = Rolling week, # = Under check quality

**BELTRAME STOCK AVAILABILITY PART. LENGTH./QUAL. + ROLLING PROGRAMME**

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
<b>IPE</b>								
<b>100</b>	55	4,1	12,1	S355J2				S43
<b>120</b>	64	4,4	12,1	S355J2	X			
<b>120</b>	64	4,4	14,1	S355J2	(X)			
<b>120</b>	64	4,4	15,1	S355J2	(X)			
<b>140</b>	73	4,7	12,1	S355J2	X	S44		(X)
<b>140</b>	73	4,7	14,1	S355J2	(X)			
<b>140</b>	73	4,7	15,1	S355J2		S44		
<b>160</b>	82	5,0	12,1	S355J2		S40		
<b>160</b>	82	5,0	14,1	S355J2	(X)			
<b>160</b>	82	5,0	15,1	S355J2	(X)			

**ATTENTION**

**On request**

X = Disponibility, (X) = Low Disponibility, S = Rolling week, # = Under check quality

**BELTRAME STOCK AVAILABILITY PART. LENGTH./QUAL. + ROLLING PROGRAMME**

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
<b>FLAT</b>								
16	5	6	S235/S275	(X)				
30	4	8	S235/S275				(X)	
30	20	6,6	S235/S275				(X)	
40	5	6,25	S235/S275				(X)	
40	8	7,6	S235/S275				(X)	
40	12	6,3	S235/S275				(X)	
45	5	6,25	S235/S275				(X)	
50	8	6,6	S235/S275				(X)	
50	8	6,9	S235/S275				(X)	
50	25	6,5	S235/S275				(X)	
59	7	6,05	S235/S275	(X)	(X)			
59	7	6,2	S235/S275	(X)				
60	10	6,7	S235/S275				(X)	
70	15	6,6	S235/S275				(X)	
80	6	6,25	S235/S275				(X)	
90	15	7,4	S235/S275				(X)	
100	5	7,5	S235/S275				(X)	
100	15	9,4	S235/S275				(X)	
100	25	6,87	S235/S275				(X)	
120	3	6	S235/S275	(X)				
120	6	6,3	S235/S275				(X)	
120	8	12	S235/S275				(X)	
120	10	5,2	S235/S275				(X)	
120	10	6,5	S235/S275				(X)	
120	15	7	S235/S275	(X)				
150	20	6,5	S235/S275	(X)				
160	20	6,6	S235/S275				(X)	
160	25	6	S235/S275	(X)				
160	30	6	S235/S275	(X)				
180	8	8	S235/S275				(X)	
180	25	6	S235/S275	(X)				
180	30	6	S235/S275	(X)				
200	10	8	S235/S275				(X)	
200	12	12,1	S235/S275				(X)	
200	12	15	S235/S275				(X)	
200	15	6,2	S235/S275				(X)	
200	15	8	S235/S275				(X)	
260	15	6	S235/S275	(X)				

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
<b>ANGLE</b>								
30	30	3,0	6,8	S235/S275	(X)			
35	35	3,0	6,01	S235/S275	X			
35	35	3,0	7,2	S235/S275	(X)			
50	50	5,0	7	S235/S275	(X)			
50	50	8,0	12	S235/S275	(X)			
60	60	6,0	5	S235/S275				(X)
60	60	8,0	7	S235/S275				(X)
70	70	11,0	13	S235/S275	(X)			
80	80	8,0	6,5	S235/S275				(X)
80	80	8,0	8	S235/S275				(X)
100	100	8,0	8,7	S235/S275	(X)			
100	100	10,0	10,1	S235/S275				(X)
100	100	12,0	12,2	S235/S275				(X)
120	120	13,0	12	S235/S275	(X)			

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
<b>UN. ANGLE</b>								
50	30	5,0	10	S235/S275	(X)			
50	30	5,0	12,8	S235/S275	(X)			
100	65	6,0	6,01	S235/S275	(X)			
100	75	9,0	13	S235/S275				(X)
100	75	9,0	15	S235/S275				(X)
120	80	8,0	6,05	S235/S275				(X)
150	100	12,0	15	S235/S275				(X)

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
<b>ROUND</b>								
13,8	0	6,01	S235/S275	(X)				
14	0	6,5	S235/S275					(X)
16	0	5	S235/S275					(X)
16	0	7,5	S235/S275					(X)
21	0	6	S235/S275		(X)			
23	0	6	S235/S275		X			
25	0	7,5	S235/S275					(X)
25	0	12,1	S235/S275	(X)				
30	0	7	S235/S275					(X)
32	0	6	BE45CT		(X)			
40	0	6	BE45CT		X			
42	0	6	BE45CT		X			
47	0	6	BE45CT		(X)			
52	0	6	BE45CT		X			
57	0	6	BE45CT		(X)			

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
<b>SQUARE</b>								
6	0	6	S235/S275	(X)				
22	0	6,7	S235/S275					(X)
40	0	12,3	S235/S275		(X)			

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
<b>TEE PROFILE</b>								
30	30	3,0	6,01	S235/S275			X	
30	30	3,0	7,01	S235/S275			(X)	
30	30	3,0	7,51	S235/S275			X	
30	30	3,5	6	S235/S275			(X)	
30	30	3,5	6,01	S235/S275			X	
30	30	3,5	7	S235/S275			(X)	
30	30	3,5	7,01	S235/S275			X	
30	30	5,0	6,4	S235/S275			(X)	
30	30	5,0	6,6	S235/S275			(X)	
30	30	5,0	7,2	S235/S275			(X)	
35	35	3,5	6	S235/S275			(X)	
35	35	3,5	6,75	S235/S275			(X)	
35	35	3,5	7,5	S235/S275			(X)	
35	35	4,5	6,01	S235/S275			(X)	
35	35	5,5	6,1	S235/S275			X	
35	35	5,5	7	S235/S275			X	
35	35	5,5	7,6	S235/S275			(X)	
40	40	5,0	10	S235/S275				(X)
50	50	6,0	6,01	S235/S275	(X)			
80	80	9,0	6,2	S235/S275				(X)

**ATTENTION**

On request

X = Disponibility, (X) = Low Disponibility, S = Rolling week, # = Under check quality

**BELTRAME STOCK AVAILABILITY PART. LENGTH./QUAL. + ROLLING PROGRAMME**

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
<b>U CHANNEL</b>								
<b>60</b>	30	6,0	5,4	S235/S275				(X)
<b>60</b>	30	6,0	6,65	S235/S275				(X)
<b>60</b>	30	6,0	7,5	S235/S275				(X)
<b>60</b>	30	6,0	7,6	S235/S275	(X)			
<b>60</b>	30	6,0	9,1	S235/S275	(X)			
<b>65</b>	42	5,5	6,7	S235/S275				(X)
<b>65</b>	42	5,5	10	S235/S275				(X)

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
<b>UPN</b>								
<b>100</b>	50	6,0	9,1	S235/S275				(X)
<b>100</b>	50	6,0	14,11	S235/S275	X			
<b>120</b>	55	7,0	9,5	S235/S275				(X)
<b>120</b>	55	7,0	12,2	S235/S275				(X)
<b>140</b>	60	7,0	9	S235/S275				(X)
<b>140</b>	60	7,0	9,1	S235/S275				(X)

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
<b>IPE</b>								
<b>160</b>	82	5,0	11,1	S235/S275	(X)			

**ATTENTION**

**On request**

X = Disponibility, (X) = Low Disponibility, S = Rolling week, # = Under check quality