

BELTRAME STOCK AVAILABILITY PART. LENGTH./QUAL. + ROLLING PROGRAMME

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
FLAT								
30	5		6	S355J2				S8
40	5		6	S355J2			(X)	S8
40	6		6	S355J2				S7
40	8		6	S355J2			(X)	S7
40	10		6	S355J2			(#)	
40	15		6	S355J2	(X)		X	
40	15	6,01		S355J2	(X)			
40	20		6	S355J2			(X)	
40	30		6	S355J2	(X)			
45	15		6	S355J2			(X)	
50	5		6	S355J2			(X)	S7
50	6		6	S355J2			(X)	S6
50	7		6	S355J2	(X)			
50	8		6	S355J2			X	
50	10		6	S355J2	(X)		(X)	
50	12		6	S355J2			(X)	
50	15		6	S355J2	(X)		X	
50	20		6	S355J2			(X)	
50	20	7,65		S355J2			(X)	
50	30		12	S355J2	X			
55	10		6	S355J2	(X)			
60	5		6	S355J2	(X)		(X)	S4
60	6		6	S355J2			(X)	S4
60	8		6	S355J2			(X)	S4
60	10		6	S355J2	S4		(X)	S4
60	12		6	S355J2				S3
60	15		6	S355J2	S4			S3
60	20		6	S355J2	S4			
60	30		6	S355J2	X			
70	10		6	S355J2			(X)	S4
70	15		6	S355J2				S3
80	5		6	S355J2			(X)	S4
80	6		6	S355J2				S4
80	8		6	S355J2				S4
80	10		6	S355J2	(X)		(X)	S4
80	15		6	S355J2	(X)		#	
80	20		6	S355J2			(X)	S3
80	25		6	S355J2	X			
80	30		6	S355J2	X			
90	15		8	S355J2			(X)	
90	20		6	S355J2	S6			
100	8		6	S355J2				S3
100	10		6	S355J2	X		(X)	S4
100	12		6	S355J2			(X)	S3
100	15		6	S355J2	(X)	S6	(X)	S3
100	20		6	S355J2		S6	(X)	S3
100	20		12	S355J2		S6		
110	15	6,1		S355J2			(X)	
120	8		6	S355J2			(X)	S7
120	8	7,8		S355J2			(X)	
120	10		6	S355J2	X	S4	(X)	
120	12		6	S355J2			(X)	S6
120	15		6	S355J2	(X)	S4	X	S6
120	20		6	S355J2		S3	(X)	S6
140	10		6	S355J2				S5
140	12	13,6		S355J2			(X)	
140	15	9,5		S355J2			(X)	
150	6		6	S355J2	(X)			
150	8		6	S355J2				S4
150	10		6	S355J2	(X)	S8		S5
150	10	7,5		S355J2	(X)			
150	10		12	S355J0/JR				(X)
150	10		12	S355J2	(X)			
150	12		6	S355J2				S5
150	15		6	S355J2		S8		S5
150	15		12	S355J2			(X)	
150	20		6	S355J2		S8		S4
150	20		12	S355J2	(X)			
180	10		6	S355J2	(X)		(X)	S9
180	10		12	S355J2	(X)			
180	15		6	S355J2	(X)			
180	20		6	S355J2	(X)		(X)	
180	20		12	S355J2	(X)			
200	8		6	S355J2			(X)	S8
200	10		6	S355J2	(X)		(X)	S9

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
ANGLE								
40	40	4,0	6	S355J2				(X)
40	40	4,0	7	S355J2				(X)
50	50	5,0	12	S355J2	X			(X)
60	60	5,0	12	S355J2	(X)	S6		
60	60	6,0	6	S355J2				(X)
60	60	6,0	12	S355J2		S6		(X)
60	60	6,0	12,5	S355J2	(X)			
60	60	8,0	12	S355J2		S6		
70	70	5,0	12	S355J2	(X)			
70	70	6,0	12	S355J2	X			
70	70	7,0	12	S355J2	X			#
80	80	6,0	12	S355J2	X			
80	80	8,0	6	S355J2				(X)
80	80	8,0	12	S355J2	X			X
80	80	8,0	12,5	S355J2	(X)			
80	80	10,0	12	S355J2	X			
80	80	12,0	12	S355J2	(X)			
90	90	6,0	12	S355J2	#			
90	90	7,0	12	S355J2	#			
90	90	8,0	12	S355J2	#			
90	90	9,0	10,51	S355J2	(#)			
90	90	9,0	12	S355J2	#			S6
90	90	10,0	12	S355J2	#			
100	100	7,0	12	S355J2	(#)			
100	100	8,0	12	S355J2	#			(X)
100	100	10,0	6	S355J2				S5
100	100	10,0	12	S355J2	#			S5
100	100	12,0	12	S355J2	X			
110	110	8,0	12	S355J2		S6		
110	110	10,0	12	S355J2		S6		
110	110	12,0	12	S355J2		S6		
120	120	8,0	12	S355J2		S5		
120	120	10,0	12	S355J2		S5		
120	120	11,0	12	S355J2		S5		
120	120	12,0	6	S355J2				(X)
120	120	12,0	12	S355J2		S5		(X)
120	120	13,0	12	S355J2		S6		
120	120	15,0	6	S355J2	(X)			
120	120	15,0	12	S355J2		S5		(X)
120	120	15,0	12,51	S355J2	(#)			

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
UN. ANGLE								
50	30	5,0	12	S355J2	(X)			
70	50	6,0	12	S355J2	(X)			
80	65	6,0	12	S355J2	(X)			
80	65	8,0	12	S355J2	(X)			
100	50	6,0	12	S355J2				S8
100	50	8,0	12	S355J2	(X)			S8
120	80	8,0	12	S355J2		S7		
120	80	10,0	12	S355J2		S7		
120	80	12,0	12	S355J2		S7		
150	75	9,0	12	S355J2		S9		
150	75	11,0	12	S355J2		S9		
150	100	10,0	12	S355J2		S8		
150	100	12,0	12	S355J2		S8		
160	80	10,0	12	S355J2		S9		

ATTENTION

On request

X = Disponibility, (X) = Low Disponibility, S = Rolling week, # = Under check quality

BELTRAME STOCK AVAILABILITY PART. LENGTH./QUAL. + ROLLING PROGRAMME

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
FLAT								
200	12		6	S355J2				S9
200	12		12	S355J2				S9
200	15		6	S355J2				S8
200	20		6	S355J2				(X) S8
200	20		7,2	S355J2				(X) S8
200	20		8	S355J2				S9

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
ROUND								
12	0		6	S355J2				S5
12	0		12	S355J2				S5
14	0		6	S355J2	(X)			
16	0		6	S355J2	(X)			S3
20	0		6	S355J2		S8		S3
22	0		6	S355J2	(X)			
25	0		6	S355J2				S3
30	0		6	S355J2	(X)			S3

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
TEE PROFILE								
30	30	4,0	6	S355J2				(X)
35	35	4,5	6,25	S355J2				(X)
50	50	6,0	12	S355J2				(X)
70	70	8,0	12	S355J2		X		
80	80	9,0	12	S355J2				(X)

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
SQUARE								
12	0		6	S355J2				S5
14	0		6	S355J2	S3			
16	0		6	S355J2	S3			(X)
20	0		6	S355J2	S3			(X) S3
22	0		6	S355J2				S3
25	0		6	S355J2				S3
30	0		6	S355J2	S3			(X) S3
40	0		6	S355J2	(X)	(X)		
50	0		6	S355J2	(X)	(X)		

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
U CHANNEL								
60	30	6,0	12	S355J2	(X)			(X)

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
UPN								
80	45	6,0	12,1	S355J2	X			X
100	50	6,0	12,1	S355J2	X	S5		
120	55	7,0	12,1	S355J2		S3		(X) S3
140	60	7,0	8,3	S355J2	(X)			
140	60	7,0	12,1	S355J2	X			
140	60	7,0	14,1	S355J2	(X)			
160	65	7,5	7,8	S355J2	(X)			
160	65	7,5	8,3	S355J2	(X)			
160	65	7,5	12,1	S355J2	X			

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
IPE								
100	55	4,1	12,1	S355J2	(X)	S6		(X)
120	64	4,4	15,1	S355J2	(X)			
140	73	4,7	12,1	S355J2	X	S7		(X)
160	82	5,0	12,1	S355J2	X			

ATTENTION

On request

X = Disponibility, (X) = Low Disponibility, S = Rolling week, # = Under check quality

BELTRAME STOCK AVAILABILITY PART. LENGTH./QUAL. + ROLLING PROGRAMME

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
FLAT								
25	5		5,7	S235/S275			(X)	
29	2,8		6,15	S235/S275	(X)			
30	4		8	S235/S275				(X)
30	6		7	S235/S275				(X)
30	8		5,5	S235/S275				(X)
40	8		12	S235/S275				(X)
40	10		6,63	S235/S275	(X)			
40	30		6	S235/S275	(X)			
45	8		6,7	S235/S275				(X)
50	12		6	S235/S275	(#)			
50	25		6,3	S235/S275	(X)			
50	25		6,5	S235/S275	(X)			
55	10		6	S235/S275				(X)
70	15		6,6	S235/S275				(X)
90	5		6,5	S235/S275				(X)
90	20		6,1	S235/S275	(X)			
100	25		6,87	S235/S275				(X)
120	10		6,5	S235/S275				(X)
120	10		6,7	S235/S275				(X)
120	20		12,1	S235/S275				(X)
150	12		12	S235/S275	(X)			
150	15		12	S235/S275	(X)			
150	20		7,5	S235/S275	(X)			
150	20		12	S235/S275	(X)			
160	20		6,6	S235/S275				(X)
165	6		6	S235/S275				(X)
180	15		6,2	S235/S275				(X)
200	30		11	S235/S275				(X)

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
ANGLE								
25	25	3,0	6,3	S235/S275			(X)	
40	40	3,0	7	S235/S275				(X)
40	40	3,0	12	S235/S275				(X)
40	40	4,0	6,6	S235/S275				(X)
50	50	5,0	7	S235/S275				(X)
50	50	5,0	10	S235/S275				(X)
50	50	8,0	12	S235/S275	(X)			
60	60	6,0	8	S235/S275				(X)
70	70	7,0	8	S235/S275				(X)
80	80	8,0	6,5	S235/S275				(X)
80	80	8,0	7	S235/S275				(X)
80	80	8,0	8	S235/S275				(X)
90	90	9,0	12,03	S235/S275	(X)			
100	100	10,0	8	S235/S275				(X)
100	100	10,0	15	S235/S275	(X)			
100	100	12,0	12	LMES235/S275				(X)
120	120	12,0	12,2	S235/S275				(X)
120	120	13,0	6	S235/S275	(X)			

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
UN. ANGLE								
65	50	7,0	12	S235/S275				(X)
100	65	6,0	6,01	S235/S275	(X)			
120	80	8,0	6,05	S235/S275				(X)

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
TEE PROFILE								
30	30	2,7	6	S235/S275			X	
30	30	2,7	6,75	S235/S275			(X)	
30	30	2,7	7	S235/S275			X	
30	30	2,7	7,5	S235/S275			X	
30	30	3,0	6	S235/S275			X	
30	30	3,0	7	S235/S275			X	
30	30	3,0	7,5	S235/S275			X	
30	30	3,5	6	S235/S275			(X)	
30	30	3,5	7	S235/S275			X	
30	30	3,5	7,5	S235/S275			X	
35	35	3,5	6	S235/S275			X	
35	35	3,5	6,75	S235/S275			X	
35	35	3,5	7,5	S235/S275			(X)	
35	35	4,0	6,75	S235/S275			(X)	
35	35	4,0	7,5	S235/S275			(X)	
35	35	5,5	6,1	S235/S275			X	
35	35	5,5	6,3	S235/S275			X	
35	35	5,5	7	S235/S275			X	
35	35	5,5	7,6	S235/S275			X	
40	40	4,5	7,5	S235/S275	(X)			
50	50	6,0	6,3	S235/S275	(X)			

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
ROUND								
10	0		6	BE 45C		(X)		
14	0		6,5	S235/S275				(X)
16	0		5	S235/S275				(X)
20	0		7	S235/S275				(X)
20	0		9	S235/S275				(X)
21	0		6	S235/S275		(X)		
24	0		7	S235/S275				(X)

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
SQUARE								
13,8	0		6,1	S235/S275	(X)			
16	0		7,2	S235/S275				(X)

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
U CHANNEL								
40	20	5,0	6,2	S235/S275				(X)
65	42	5,5	6,7	S235/S275	(X)			(X)

ATTENTION

On request

X = Disponibility, (X) = Low Disponibility, S = Rolling week, # = Under check quality

BELTRAME STOCK AVAILABILITY PART. LENGTH./QUAL. + ROLLING PROGRAMME

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
UPN								
80	45	6,0	12,3	S235/S275				(X)
100	50	6,0	9,1	S235/S275				(X)
100	50	6,0	15,11	S235/S275	(X)			
120	55	7,0	9,1	S235/S275				(X)
120	55	7,0	12,11	S235/S275	X			
120	55	7,0	12,2	S235/S275				(X)
120	55	7,0	15,11	S235/S275	(X)			
160	65	7,5	11,1	S235/S275	(X)			
160	65	7,5	12,3	S235/S275	(X)			

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
IPE								
80	46	3,8	11,1	S235/S275				(X)

ATTENTION

On request

X = Disponibility, (X) = Low Disponibility, S = Rolling week, # = Under check quality