

BELTRAME STOCK AVAILABILITY PART. LENGTH./QUAL. + ROLLING PROGRAMME

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
FLAT								
30	5		6	S355J2				S16
40	5		6	S355J2				S16
40	6		6	S355J2				S15
40	8		6	S355J2				S15
45	6		4,95	S355J2				S18
50	5		6	S355J2				S18
50	7		6	S355J2	(X)			
50	30		12	S355J2	S15			(X)
60	5		6	S355J2				(X) S21
60	6		6	S355J2				(X) S21
60	8		6	S355J2				S21
60	10		6	S355J2				S21
60	12		6	S355J2				(X)
60	15		6	S355J2				(X)
70	10		6	S355J2				(X) S20
70	15		6	S355J2				(X)
80	5		6	S355J2				(X) S21
80	6		6	S355J2				(X) S21
80	8		6	S355J2				(X) S21
80	10		6	S355J2				S20
80	15		6	S355J0/JR	(X)			
80	20		6	S355J2				(X)
80	25		6	S355J2				(X)
90	8		6	S355J2	(X)			
100	10		6	S355J2		S16		
100	15		6	S355J2		S19		
100	20		6	S355J2		S19		
100	20		8,2	S355J2				(X)
120	8		6	S355J2				(X) S17
120	10		6	S355J2		S19		S17
120	12		6	S355J2	(X)			X S17
120	15		6	S355J2		S19		S17
120	20		6	S355J2		S19		S17
140	10		9	S355J2				(X)
140	10		11	S355J2	(#)			
140	12		6	S355J2	(X)			
140	12		8,3	S355J2	(X)			
140	12		8,5	S355J2	(X)			
140	12		12	S355J2				(X)
140	15		6	S355J2	(X)			
140	20		6	S355J2	(X)			
150	8		6	S355J2				(X) S18
150	8		7,2	S355J2	(X)			
150	8		7,5	S355J2	(X)			
150	8		7,7	S355J2	(X)			
150	10		6	S355J2	(#)			S19
150	12		6	S355J2	(X)			(X) S19
150	12		10,2	S355J2				(X)
150	15		6	S355J2	(X)			S19
150	15		12,5	S355J2	(X)			
150	20		6	S355J2	(X)			S18
150	20		12	S355J2	(X)			
160	10		6	S355J2	(#)			
180	10		6	S355J2				(X)
180	10		7,85	S355J2				S21
200	8		6	S355J2				S21
200	10		6	S355J2				(X) S21
200	12		6	S355J2	(X)			S21
200	12		8	S355J2				(X)
200	12		12	S355J2	(X)			(X)
200	15		6	S355J2	(X)			
200	15		12	S355J0/JR				(X)
200	20		6	S355J2				S21
200	20		8	S355J2				(X)
200	30		5,4	S355J2				(X)
200	30		6	S355J2				S21
200	30		8	S355J2				S21

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
ANGLE								
30	30	5,0	6	S355J2				(X)
40	40	5,0	6	S355J2				(X)
50	50	5,0	6	S355J2				(#) S15
50	50	5,0	12	S355J2	X			(X)
60	60	5,0	12	S355J2	(X)			
60	60	6,0	12	S355J2	(X)			(X)
60	60	8,0	12	S355J2	(X)			
70	70	7,0	11	S355J2	(#)			
70	70	7,0	12	S355J2				S22
70	70	9,0	13	S355J2	(X)			
80	80	6,0	12	S355J2	(X)			
80	80	8,0	12	S355J2				S18
80	80	10,0	12	S355J2	(X)			
90	90	6,0	12	S355J2	(X)			
90	90	7,0	10	S355J2	(X)			
90	90	9,0	12	S355J2	X			S16
90	90	9,0	13	S355J2	(X)			
100	100	6,0	12	S355J2	(X)			
100	100	10,0	6	S355J2				(X) S16
100	100	10,0	12	S355J2	(X)			(X) S16
100	100	10,0	13,1	S355J2	(X)			
100	100	12,0	9,5	S355J2	(X)			
100	100	12,0	12	S355J2	(X)			(X)
120	120	8,0	12	S355J2		S15		
120	120	10,0	12	S355J2		S15		
120	120	12,0	12	S355J2		S15		
120	120	15,0	12	S355J2		S15		

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
UN. ANGLE								
65	50	5,0	6	S355J2				(X)
80	65	6,0	12	S355J2	(X)			
80	65	8,0	12	S355J2	(X)			
90	60	6,0	12	S355J2	(X)			
100	50	6,0	12	S355J2	(X)			(X)
100	50	8,0	12	S355J2	(X)			(X)
100	50	10,0	12	S355J2				(X)
100	65	7,0	12	S355J2	(X)			
100	75	7,0	12	S355J2	(X)			
100	75	8,0	12	S355J2				(X)
120	80	8,0	12	S355J2		S20		
120	80	10,0	12	S355J2		S20		
150	75	9,0	12	S355J2	(X)			
150	75	11,0	12	S355J2	(X)			
150	100	10,0	12	S355J2		S20		

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
SQUARE								
12	0		6	S355J2				(X)
15	0		6	S355J2	(X)			
16	0		6	S355J2				(X) S17
20	0		6	S355J2	(X)			S17
22	0		6	S355J2				S17
25	0		6	S355J2				S17
30	0		6	S355J2				S17

ATTENTION

On request

X = Disponibility, (X) = Low Disponibility, S = Rolling week, # = Under check quality

BELTRAME STOCK AVAILABILITY PART. LENGTH./QUAL. + ROLLING PROGRAMME

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
TEE PROFILE								
35	35	4,5	6	S355J2				(X)
50	50	6,0	12	S355J2				(X)
70	70	8,0	12	S355J2	(X)	X		

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
UPN								
80	45	6,0	12,1	S355J2				X S20
80	45	6,0	15,1	S355J2	(X)			
100	50	6,0	8,6	S355J2	(X)			
100	50	6,0	12,1	S355J2	X			X
100	50	6,0	15,1	S355J2	(X)			
120	55	7,0	6,1	S355J2				(X)
120	55	7,0	9,3	S355J2	(X)			
120	55	7,0	12,1	S355J2		S19		(X) S17
140	60	7,0	12,1	S355J2		S15		
160	65	7,5	12,1	S355J2		S21		

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
IPE								
80	46	3,8	12,1	S355J2	(X)			
100	55	4,1	12,1	S355J2	(X)			(X)
100	55	4,1	15,1	S355J2	(X)			
120	64	4,4	12,1	S355J2	X	S19		
160	82	5,0	12,1	S355J2	X			
160	82	5,0	14,1	S355J2	(X)			
160	82	5,0	15,1	S355J2	(X)			

ATTENTION

On request

X = Disponibility, (X) = Low Disponibility, S = Rolling week, # = Under check quality

BELTRAME STOCK AVAILABILITY PART. LENGTH./QUAL. + ROLLING PROGRAMME

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
FLAT								
14	3	6	S235/S275				(X)	
14	4	6	S235/S275				(X)	
25	5	5,7	S235/S275				(X)	
30	5	7,9	S235/S275				(X)	
30	10	6,7	S235/S275					(X)
30	15	6,5	S235/S275					(X)
40	5	6,25	S235/S275					(X)
40	6	6,5	S235/S275					(X)
40	20	8,2	S235/S275					(X)
45	5	6,25	S235/S275					(X)
50	10	5	S235/S275					(X)
50	10	6	S235/S275		X			
50	15	6,2	S235/S275					(X)
50	20	6,2	S235/S275					(X)
50	30	6	S235/S275		(X)			
60	5	5	S235/S275					(X)
60	5	6,2	S235/S275					(X)
60	7	12	S235/S275					(X)
60	10	6,5	S235/S275					(X)
60	12	15	S235/S275					(X)
60	15	7	S235/S275					(X)
60	15	8,4	S235/S275					(X)
70	20	12	S235/S275					(X)
80	20	12	S235/S275					(X)
80	25	5,5	S235/S275					(X)
90	15	7,4	S235/S275					(X)
100	5	7,09	S235/S275					(X)
100	5	7,5	S235/S275					(X)
101	11	11,1	S235/S275		(X)			
120	6	6,3	S235/S275					(X)
120	8	6,3	S235/S275					(X)
120	20	11,3	S235/S275					(X)
120	20	12	S235/S275					(X)
140	12	13,2	S235/S275					(X)
140	15	6,5	S235/S275	(X)				
150	6	6,2	S235/S275					(X)
165	6	6	S235/S275					(X)
180	8	12	S235/S275					(X)
180	10	8	S235/S275					(X)
180	12	8,8	S235/S275					(X)

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
ANGLE								
20	20	3,0	6,65	S235/S275				(X)
25	25	2,7	6,1	S235/S275			X	
25	25	2,7	6,8	S235/S275			X	
25	25	3,0	6,3	S235/S275				(X)
30	30	3,0	13	S235/S275				(X)
35	35	3,0	5,7	S235/S275				(X)
40	40	3,0	7,6	S235/S275				(X)
40	40	4,0	6,15	S235/S275				(X)
40	40	4,0	6,2	S235/S275				(X)
40	40	4,0	7,9	S235/S275				(X)
50	50	5,0	13	S235/S275				(X)
60	60	6,0	6,2	S235/S275				(X)
60	60	8,0	6,5	S235/S275				(X)
70	70	7,0	12,01	S235/S275				(X)
80	80	8,0	8,6	S235/S275	(X)			
80	80	8,0	12,01	S235/S275				X

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
UN. ANGLE								
40	25	4,0	5,8	S235/S275				(X)
50	30	5,0	7,4	S235/S275	(X)			
100	65	6,0	6,01	S235/S275	(X)			
100	75	7,0	6,8	S235/S275	(X)			
120	80	8,0	6,1	S235/S275				(X)

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
ROUND								
13,8	0		6,15	S235/S275		(X)		
15,8	0		6,15	S235/S275	(X)			
16	0		5,5	S235/S275				(X)
16	0		6,5	S235/S275				(X)
20	0		6,8	S235/S275				(X)
21	0		6	S235/S275		(X)		
22	0		12	S235/S275	(X)			
23	0		6	S235/S275		(X)		
25	0		6,05	S235/S275				(X)
25	0		7,5	S235/S275				(X)
30	0		5	S235/S275				(X)

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
TEE PROFILE								
30	30	2,7	7	S235/S275			X	
30	30	2,7	7,5	S235/S275			(X)	
30	30	3,0	7	S235/S275			X	
30	30	3,0	7,3	S235/S275			(X)	
30	30	3,0	7,5	S235/S275			(X)	
30	30	3,5	7	S235/S275			X	
30	30	3,5	7,5	S235/S275			X	
30	30	4,0	5,6	S235/S275				(X)
30	30	4,0	6	S235/S275				(X)
30	30	5,0	7,2	S235/S275	(X)			
35	35	5,5	6	S235/S275			(X)	
40	40	4,5	6	S235/S275	(X)			
40	40	4,5	7,5	S235/S275	(X)			
50	50	6,0	6	S235/S275		(X)		
50	50	7,0	6,3	S235/S275	(X)			

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
SQUARE								
11,8	0		6,02	S235/S275		(X)		
13,8	0		6,1	S235/S275	X			
14	0		6,7	S235/S275				(X)
15,8	0		6,1	S235/S275	X			

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
U CHANNEL								
50	25	5,0	6,3	S235/S275				(X)
65	42	5,5	5,4	S235/S275				(X)
65	42	5,5	5,7	S235/S275				(X)

ATTENTION

On request

X = Disponibility, (X) = Low Disponibility, S = Rolling week, # = Under check quality

BELTRAME STOCK AVAILABILITY PART. LENGTH./QUAL. + ROLLING PROGRAMME

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
UPN								
100	50	6,0	12,11	S235/S275	(X)			
120	55	7,0	11,1	S235/S275			(X)	
120	55	7,0	12,11	S235/S275	(X)			

					ITALY			FRANCE
					Vicenza	Torino	SGVald.	Trith
IPE								
100	55	4,1	8,1	S235/S275			(X)	
100	55	4,1	11	S235/S275	(X)			
100	55	4,1	12,11	S235/S275			X	
120	64	4,4	13,1	S235/S275			(X)	
160	82	5,0	13,1	S235/S275	(X)			

ATTENTION

On request

X = Disponibility, (X) = Low Disponibility, S = Rolling week, # = Under check quality